

**Table 1.46C Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2010 and 2011**

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
<b>TOTAL</b>	311	299	235	194	216	228
18	34	31	25	23	24	20
19	30	33	18	19	24	27
20	29	34	18	24	22	21
21	30	32	20	23	21	22
22	27	26	18	18	20	20
23	25	25	17	17	19	19
24	26	22	19	15	17	16
25	17	28	13	17	12	21
26-29	94	78	70	50	61	60
30-34	86	63	55	47	68	40
35-39	72	86	49	46	51	72
40-44	88	83	65	41	55	70
45-49	111	93	84	55	72	75
50-54	111	131	76	96	81	89
55-59	114	124	90	64	82	103
60-64	93	84	72	67	51	51
65 or Older	124	106	97	78	76	72

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.46D Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2010 and 2011**

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
<b>TOTAL</b>	0.14	0.13	0.21	0.17	0.18	0.19
18	0.67	0.62	0.92	0.89	0.99	0.88
19	0.66	0.72	0.80	0.86	1.04	1.16
20	0.62	0.70	0.77	1.05	0.98	0.88
21	0.66	0.69	0.89	1.02	0.95	0.96
22	0.61	0.60	0.79	0.81	0.96	0.91
23	0.60	0.62	0.84	0.88	0.88	0.87
24	0.61	0.53	0.91	0.67	0.81	0.81
25	0.43	0.67	0.66	0.82	0.56	1.02
26-29	0.54	0.44	0.80	0.58	0.72	0.69
30-34	0.43	0.32	0.56	0.50	0.66	0.39
35-39	0.37	0.44	0.51	0.48	0.52	0.71
40-44	0.42	0.40	0.64	0.43	0.53	0.63
45-49	0.48	0.42	0.76	0.51	0.61	0.68
50-54	0.50	0.57	0.71	0.86	0.70	0.73
55-59	0.58	0.65	0.98	0.68	0.80	1.04
60-64	0.56	0.46	0.88	0.75	0.61	0.55
65 or Older	0.32	0.27	0.57	0.45	0.35	0.32

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.46P Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
<b>TOTAL</b>	0.4811		0.1693		0.7095	
18	0.6093		0.9874		0.3914	
19	0.5046		0.9819		0.4077	
20	0.3344		0.0891		0.6914	
21	0.4979		0.6455		0.6155	
22	0.5572		0.5009		0.8600	
23	0.8812		0.6499		0.4777	
24	0.3056		0.1473		0.9853	
25	0.1297		0.2245		0.3175	
26-29	0.9459		0.5813		0.5225	
30-34	0.0441		0.5666		0.0319	
35-39	0.0492		0.6947		0.0273	
40-44	0.3771		0.0215		0.4623	
45-49	0.0234		0.0315		0.3106	
50-54	0.1957		0.1145		0.7740	
55-59	0.8559		0.3592		0.5763	
60-64	0.5510		0.5815		0.7888	
65 or Older	0.7873		0.6844		0.9469	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.47C Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic/Health Characteristic</b>	<b>Had Serious Thoughts of Suicide (2010)</b>	<b>Had Serious Thoughts of Suicide (2011)</b>	<b>Made Any Suicide Plans (2010)</b>	<b>Made Any Suicide Plans (2011)</b>	<b>Attempted Suicide (2010)</b>	<b>Attempted Suicide (2011)</b>
<b>TOTAL</b>	311	299	168	157	108	110
<b>AGE</b>						
18-25	75	85	41	44	30	35
26-49	201	169	91	102	59	64
50 or Older	214	229	134	111	81	81
<b>GENDER</b>						
Male	235	194	119	106	74	65
Female	216	228	117	115	77	88
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	297	288	164	149	106	104
White	269	267	145	126	88	79
Black or African American	103	86	64	43	55	31
American Indian or Alaska Native	24	55	7	*	7	*
Native Hawaiian or Other Pacific Islander	14	*	0	1	0	1
Asian	72	69	48	54	9	53
Two or More Races	24	25	14	14	9	8
Hispanic or Latino	76	84	31	52	23	36
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	233	221	126	95	86	53
Medicaid/CHIP <sup>2</sup>	117	125	79	77	62	68
Other <sup>3</sup>	184	152	119	87	83	52
No Coverage	120	139	57	81	32	66
<b>CURRENT EMPLOYMENT</b>						
Full-Time	200	169	78	72	44	41
Part-Time	110	140	52	58	34	65
Unemployed	102	75	71	50	26	28
Other <sup>4</sup>	187	196	119	117	85	72

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.47D Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic/Health Characteristic</b>	<b>Had Serious Thoughts of Suicide (2010)</b>	<b>Had Serious Thoughts of Suicide (2011)</b>	<b>Made Any Suicide Plans (2010)</b>	<b>Made Any Suicide Plans (2011)</b>	<b>Attempted Suicide (2010)</b>	<b>Attempted Suicide (2011)</b>
<b>TOTAL</b>	0.14	0.13	0.07	0.07	0.05	0.05
<b>AGE</b>						
18-25	0.22	0.25	0.12	0.13	0.09	0.10
26-49	0.20	0.17	0.09	0.10	0.06	0.07
50 or Older	0.22	0.23	0.14	0.11	0.08	0.08
<b>GENDER</b>						
Male	0.21	0.17	0.11	0.09	0.07	0.06
Female	0.18	0.19	0.10	0.10	0.06	0.07
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.15	0.15	0.08	0.08	0.05	0.05
White	0.17	0.17	0.09	0.08	0.06	0.05
Black or African American	0.38	0.32	0.24	0.16	0.21	0.12
American Indian or Alaska Native	2.17	3.72	0.65	*	0.65	*
Native Hawaiian or Other Pacific Islander	2.13	*	0.02	0.16	0.05	0.16
Asian	0.69	0.61	0.46	0.48	0.09	0.48
Two or More Races	0.96	0.78	0.55	0.44	0.36	0.26
Hispanic or Latino	0.24	0.25	0.10	0.15	0.07	0.11
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	0.15	0.14	0.08	0.06	0.06	0.04
Medicaid/CHIP <sup>2</sup>	0.54	0.52	0.37	0.33	0.29	0.29
Other <sup>3</sup>	0.34	0.27	0.22	0.16	0.15	0.09
No Coverage	0.31	0.35	0.15	0.21	0.08	0.17
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.17	0.15	0.07	0.06	0.04	0.04
Part-Time	0.33	0.42	0.16	0.18	0.10	0.20
Unemployed	0.67	0.55	0.47	0.37	0.18	0.21
Other <sup>4</sup>	0.28	0.27	0.18	0.16	0.13	0.10

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.47P Had Serious Thoughts of Suicide, Made Any Suicide Plans, or Attempted Suicide in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Demographic/Health Characteristic</b>	<b>Had Serious Thoughts of Suicide (2010)</b>	<b>Had Serious Thoughts of Suicide (2011)</b>	<b>Made Any Suicide Plans (2010)</b>	<b>Made Any Suicide Plans (2011)</b>	<b>Attempted Suicide (2010)</b>	<b>Attempted Suicide (2011)</b>
<b>TOTAL</b>	0.4811		0.4642		0.9872	
<b>AGE</b>						
18-25	0.6098		0.9686		0.6674	
26-49	0.1292		0.6116		0.6089	
50 or Older	0.8211		0.1896		0.5845	
<b>GENDER</b>						
Male	0.1693		0.5539		0.2706	
Female	0.7095		0.6486		0.3674	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.4363		0.3920		0.8631	
White	0.7304		0.6903		0.6448	
Black or African American	0.1315		0.0411		0.4614	
American Indian or Alaska Native	0.1803		*		*	
Native Hawaiian or Other Pacific Islander	*		0.2067		0.3521	
Asian	0.7159		0.8465		0.1891	
Two or More Races	0.3948		0.3913		0.3551	
Hispanic or Latino	0.7160		0.6344		0.6057	
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	0.1059		0.1418		0.0523	
Medicaid/CHIP <sup>2</sup>	0.9057		0.5111		0.6515	
Other <sup>3</sup>	0.1136		0.0276		0.0659	
No Coverage	0.1524		0.3406		0.1031	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.1113		0.8668		0.6983	
Part-Time	0.3115		0.4746		0.2039	
Unemployed	0.9771		0.7772		0.1368	
Other <sup>4</sup>	0.9602		0.5334		0.2640	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.48C Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic/Health Characteristic</b>	<b>Attempted Suicide (2010)</b>	<b>Attempted Suicide (2011)</b>	<b>Got Medical Attention for Suicide Attempt (2010)</b>	<b>Got Medical Attention for Suicide Attempt (2011)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011)</b>
<b>TOTAL</b>	108	110	99	92	95	83
<b>AGE</b>						
18-25	30	35	20	25	14	15
26-49	59	64	53	48	48	40
50 or Older	81	81	78	75	77	70
<b>GENDER</b>						
Male	74	65	68	56	64	50
Female	77	88	73	74	69	66
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	106	104	98	90	94	81
White	88	79	81	64	79	56
Black or African American	55	31	53	25	51	15
American Indian or Alaska Native	7	*	4	*	3	*
Native Hawaiian or Other Pacific Islander	0	1	*	*	*	*
Asian	9	53	6	53	3	50
Two or More Races	9	8	7	6	5	6
Hispanic or Latino	23	36	19	23	12	19
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	86	53	81	37	79	34
Medicaid/CHIP <sup>2</sup>	62	68	60	60	56	54
Other <sup>3</sup>	83	52	79	46	78	41
No Coverage	32	66	20	59	16	53
<b>CURRENT EMPLOYMENT</b>						
Full-Time	44	41	39	27	36	20
Part-Time	34	65	31	59	30	59
Unemployed	26	28	20	26	19	19
Other <sup>4</sup>	85	72	81	60	77	50

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.48D Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic/Health Characteristic</b>	<b>Attempted Suicide (2010)</b>	<b>Attempted Suicide (2011)</b>	<b>Got Medical Attention for Suicide Attempt (2010)</b>	<b>Got Medical Attention for Suicide Attempt (2011)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011)</b>
<b>TOTAL</b>	0.05	0.05	0.04	0.04	0.04	0.04
<b>AGE</b>						
18-25	0.09	0.10	0.06	0.07	0.04	0.04
26-49	0.06	0.07	0.05	0.05	0.05	0.04
50 or Older	0.08	0.08	0.08	0.08	0.08	0.07
<b>GENDER</b>						
Male	0.07	0.06	0.06	0.05	0.06	0.05
Female	0.06	0.07	0.06	0.06	0.06	0.05
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.05	0.05	0.05	0.05	0.05	0.04
White	0.06	0.05	0.05	0.04	0.05	0.04
Black or African American	0.21	0.12	0.20	0.09	0.19	0.06
American Indian or Alaska Native	0.65	*	0.36	*	0.24	*
Native Hawaiian or Other Pacific Islander	0.05	0.16	*	*	*	*
Asian	0.09	0.48	0.06	0.47	0.03	0.45
Two or More Races	0.36	0.26	0.27	0.20	0.18	0.19
Hispanic or Latino	0.07	0.11	0.06	0.07	0.04	0.06
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	0.06	0.04	0.05	0.02	0.05	0.02
Medicaid/CHIP <sup>2</sup>	0.29	0.29	0.28	0.26	0.27	0.23
Other <sup>3</sup>	0.15	0.09	0.15	0.08	0.15	0.07
No Coverage	0.08	0.17	0.05	0.16	0.04	0.14
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.04	0.04	0.03	0.02	0.03	0.02
Part-Time	0.10	0.20	0.09	0.18	0.09	0.18
Unemployed	0.18	0.21	0.14	0.19	0.13	0.14
Other <sup>4</sup>	0.13	0.10	0.12	0.08	0.12	0.07

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.



**Table 1.48P Attempted Suicide, Got Medical Attention for Suicide Attempt, or Stayed Overnight or Longer in a Hospital for Suicide Attempt in the Past Year among Persons Aged 18 or Older, by Demographic and Health Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Demographic/Health Characteristic</b>	<b>Attempted Suicide (2010)</b>	<b>Attempted Suicide (2011)</b>	<b>Got Medical Attention for Suicide Attempt (2010)</b>	<b>Got Medical Attention for Suicide Attempt (2011)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2010)</b>	<b>Stayed Overnight or Longer in a Hospital for Suicide Attempt (2011)</b>
<b>TOTAL</b>	0.9872		0.3288		0.2667	
<b>AGE</b>						
18-25	0.6674		0.9716		0.9821	
26-49	0.6089		0.4433		0.4308	
50 or Older	0.5845		0.4961		0.3855	
<b>GENDER</b>						
Male	0.2706		0.3603		0.3063	
Female	0.3674		0.6164		0.5545	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.8631		0.3637		0.2272	
White	0.6448		0.3950		0.1516	
Black or African American	0.4614		0.0671		0.0873	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	0.3521		*		*	
Asian	0.1891		0.2030		0.2218	
Two or More Races	0.3551		0.2903		0.7424	
Hispanic or Latino	0.6057		0.7236		0.5914	
<b>HEALTH INSURANCE<sup>1</sup></b>						
Private	0.0523		0.0053		0.0072	
Medicaid/CHIP <sup>2</sup>	0.6515		0.8981		0.9165	
Other <sup>3</sup>	0.0659		0.0959		0.0571	
No Coverage	0.1031		0.0799		0.1152	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.6983		0.3198		0.1897	
Part-Time	0.2039		0.6108		0.4575	
Unemployed	0.1368		0.3539		0.6145	
Other <sup>4</sup>	0.2640		0.1351		0.1060	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.